

Image not found or type unknown



Ref. No.:

R1440-10041000

## Overview and Technical Data:

# Arburg Allrounder 1500 T 2000-400 injection molding machine

[ARBURG](#)

**ARBURG**

Year of Build:

Jan 2015

**Description:**

# Used Arburg Allrounder 1500 T 2000-400 vertical injection molding machine

4x Machines available

from 2x2013 to 2x2015 - Operating Hours from 27528 to 42160 hrs

Technical data:

- Clamping force: 2000 kN
- Screw diameter: 40 mm
- Shot weight: 184 g PS
- Stroke volume: 201 max. cm<sup>3</sup>
- Injection pressure: 2000 bar
- Plasticizing capacity max: 29 kg/h PS
- Granulate container: 50 liters
- Screw speed: 53 m/min (2 pumps)
- Nozzle pressure: 60 | 400 kN/mm
- Mold height min: 400 mm
- Ejector stroke: 175 mm
- Ejector force forwards/backwards: 25 kN
- Opening force max.: 115 | 300 kN/mm
- Pallet distance fixed: 700 mm
- Turntable
  - Table diameter: 1500 mm
  - Rotation angle left/right: 180°
  - Weight of the movable mold half: 500 kg
  - Max. Weight on the turntable: 1050 kg

## Machine still under power

**The machine is equipped with 12 zones & 6 circuits and an interface for temperature control units, for remote control.**

**Charge amplifier “Kistler” for 2 internal pressure sensors.**

**Additional monitoring system (temperature monitoring) for the start-up parts**

**Each station is equipped with a core pull and two circuits for temperature control of the molds.**

---

This used vertical Arburg ALLROUNDER injection molding machine was manufactured in 2013 & 2015. It has a clamping force of 2000 kN and a table diameter of 1500 mm. Suitable for different mold sizes. The screw diameter is 40 mm and ensures precise material processing with a maximum injection pressure of 2000 bar.

The Arburg Allrounder 1500 T 2000-400 is ideal for manufacturers looking for a robust and powerful machine and represents a great opportunity.

Contact us for more details on this vertical injection molding machine.

## Technical Data:

## Technical Data:

Control:  
[CNC](#)

## **Dimensions and Weight:**

Height:  
2.894 mm  
Length:  
4.107 mm  
Width:  
2.648 mm  
Weight:  
21.500 kg

## **Buyer Information:**

Condition:  
[Very good condition](#)  
Available:  
[Immediately](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Buyers Premium:  
[18 %](#)  
Location:  
Germany

## **Images:**



















**KEBURG**  
**ALLROUNDER 1500 T**

Control station interface with a monitor and keypad.

|               |                                 |                      |              |
|---------------|---------------------------------|----------------------|--------------|
| Function keys | Color-coded keys (yellow/green) | Emergency stop (red) | Start (blue) |
| Function keys | Color-coded keys (yellow/green) | Emergency stop (red) | Start (blue) |
| Function keys | Color-coded keys (yellow/green) | Emergency stop (red) | Start (blue) |
| Function keys | Color-coded keys (yellow/green) | Emergency stop (red) | Start (blue) |











### Kenngrößen Maschine

Maschinentyp 150

Maschinenzyklen 1907

Betriebsstunden Pumpe 51

Betriebsstunden Automatik 42

Betriebsstunden Halbautomatik

Maschinentyp  
f9000B = 1500 T











































Charge Amplifier

Sensor  
└
















Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

R1440-10041000

**Overview and Technical Data:**

# Arburg Allrounder 1500 T 2000-400 injection molding machine

[ARBURG](#)

# ARBURG

Year of Build:  
Jan 2015

## **Description:**

## **Used Arburg Allrounder 1500 T 2000-400 vertical injection molding machine**

4x Machines available  
from 2x2013 to 2x2015 - Operating Hours from 27528 to 42160 hrs

## Technical data:

- Clamping force: 2000 kN
- Screw diameter: 40 mm

- Shot weight: 184 g PS
- Stroke volume: 201 max. cm<sup>3</sup>
- Injection pressure: 2000 bar
- Plasticizing capacity max: 29 kg/h PS
- Granulate container: 50 liters
- Screw speed: 53 m/min (2 pumps)
- Nozzle pressure: 60 | 400 kN/mm
- Mold height min: 400 mm
- Ejector stroke: 175 mm
- Ejector force forwards/backwards: 25 kN
- Opening force max.: 115 | 300 kn/mm
- Pallet distance fixed: 700 mm
- Turntable
  - Table diameter: 1500 mm
  - Rotation angle left/right: 180°
  - Weight of the movable mold half: 500 kg
  - Max. Weight on the turntable: 1050 kg

### **Machine still under power**

**The machine is equipped with 12 zones & 6 circuits and an interface for temperature control units, for remote control.**

**Charge amplifier “Kistler” for 2 internal pressure sensors.**

**Additional monitoring system (temperature monitoring) for the start-up parts**

**Each station is equipped with a core pull and two circuits for temperature control of the molds.**

This used vertical Arburg ALLROUNDER injection molding machine was manufactured in 2013 & 2015. It has a clamping force of 2000 kN and a table diameter of 1500 mm. Suitable for different mold sizes. The screw diameter is 40 mm and ensures precise material processing with a maximum injection pressure of 2000 bar.

The Arburg Allrounder 1500 T 2000-400 is ideal for manufacturers looking for a robust and powerful machine and represents a great opportunity.

Contact us for more details on this vertical injection molding machine.

### **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

### **Dimensions and Weight:**

Height:

2.894 mm

Length:

4.107 mm

Width:

2.648 mm

Weight:

21.500 kg

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## **Images:**



















**BRUBURG**  
**ALLROUNDER 1500 T**

Control station interface with a monitor and keypad.

|                                  |  |                             |                     |
|----------------------------------|--|-----------------------------|---------------------|
| Function keys                    | Color-coded keys (Yellow, Green, Blue) | Emergency stop button (Red) | Start button (Blue) |
| Number keypad                    | Color-coded keys (Yellow, Green)       | Emergency stop button (Red) | Start button (Blue) |
| Color-coded keys (Yellow, Green) | Color-coded keys (Yellow, Green)       | Emergency stop button (Red) | Start button (Blue) |











### Kenngrößen Maschine

Maschinentyp 150

Maschinenzyklen 1907

Betriebsstunden Pumpe 51

Betriebsstunden Automatik 42

Betriebsstunden Halbautomatik

Maschinentyp  
f9000B = 1500 T










































Charge Amplifier

Sensor  
└






+B00-X135F  
134188

+B00-X218F  
217004


+B00-X600  
210004

0002  
+B00-X336  
100001











Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 28.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page